



Tricycle

For too long insurers have insisted that biking is purely recreational rather than therapeutic. But you know better, and it's time to insist that your clients depend on the medical benefits that are associated with biking.

We're talking improved leg strength, range of motion, balance, fitness, posture and more. And all these benefits are accompanied by the glorious thrill of the ride on a tricycle that's as cool and colorful as anything on the sidewalk.



Find letters of medical necessity and informative articles at: www.rifton.com/trike

student received the trunk support and rear steering bar for his tricycle. He is cognitively impaired and blind, and now he can ride just like other children. The rear steer is fantastic and allows him to ride faster. Now his tricycle allows him to be a part of society and join his peers.

Rachel Jodway Dearborn Public School District, MI

Tricycle (R140) with simple prompt configuration

Tricycle features





All three sizes are available in four colors: red, blue, pink and lime.





With the rear steering bar the caregiver guides from behind, enabling the rider to see ahead.



Transfers are made easy with the low step, flip-away loop handlebar and removable laterals.





A great way to exercise!

The stationary stand elevates the back wheels of the tricycle, enabling a client to pedal in place and exercise his lower extremities. As his muscles move through the cycling motions, they are flexed, extended and stretched. Additionally, this client can practice head and trunk control while he pedals in place.



The front guide bar enables interaction between rider and companion.



Components



Seats

Choose between two sizes. Both are upholstered for comfort and include a seat belt.

Small: 10" wide x 10" long **Large:** 16" wide x 12" long





Handlebars

Choose a straight handlebar with handgrips or a padded loop handlebar for extra support.





Trunk support system

The trunk support stabilizes a rider with low trunk control. The back rest adjusts for height and seat depth, and laterals can be removed for transfer. A butterfly harness provides anterior support.

Size: 14" wide x 15½" high





Backrest pad

For clients who need less support, this simple backrest pad with a security strap gives freedom of movement. An additional backrest pad can be purchased for lower back support.

Size: 11" wide x 6" high





Headrests

Choose between winged, contoured or flat headrests. They adjust horizontally and vertically for optimal positioning and attach to the trunk support system, tool-free.

Flat and contoured: 9"x 5"

Winged: 16"x 5" when flat to 6" between wings at 90°





Handbrake

The handbrake is standard on the large trike and an option for the medium trike. It attaches anywhere on the padded loop handlebar.

Note: The handbrake must be chosen at the time of the original purchase. It cannot be added later.



Components (continued)



Communication tray

The communication tray is ideal for holding a communication device or other small objects.

Small: 8½" x 12½" **Large:** 11½" x 13½"

Max. working load (lb): small 10, large 15





Abductor

The abductor provides comfortable abduction if needed. The two larger sizes are height adjustable with a snap button.





Front guide bar

The front guide bar attaches securely to the handlebar and lets a caregiver guide the tricycle from the front. It enables eye contact between the caregiver and rider.





Rear steering bar

The rear steering bar lets a caregiver guide the tricycle from behind, giving the rider a feeling of greater independence.





Front pulley

The front pulley maintains a level pedal position for riders whose extreme tone forces the front of the pedal downward.





Stationary stand

The stationary stand converts any Rifton tricycle into a stationary trainer for pedaling practice or rainy-day activity.

Raises rear axle from floor: 63/8", 73/8" or 9"





R140 large

2021 order form

Use dimension chart to select appropriate size.

Inside leg length		17 – 22	22 – 28	25 -
	Key user dimension The extended leg should torso are strapped into	mfortably when bo	th feet and	

User dimensions (inches)

Important: User's weight must not exceed the maximum working load. Rifton tricycles are not intended for clients with strong reflexes or poorly developed trunk balance and head control. Consult your client's therapist before ordering.

R120 small R130 medium

Item dimensions (inches)	R120 small	R130 medium	R140 large
Overall height (at lowest position)	281/2	31	361/2
Overall length	46	52	65
Overall width	271/2	271/2	311/2
Wheel diameter	13	15	19
Seat center to extended pedal	17 – 22	22 – 28	25 – 35
Seat to top of trunk support	15½ – 22	15½ – 22	15½-22
Gear ratio (approximate)	1:1	1:1	1:1
Item weight (lb)	47	56	65
Distance between trunk laterals	8-14	8 – 14	8 – 14
Max. working load (lb)	150	160	200



			R120 small		R130 medium		R140 large	
· · ·			R112	\$1,030	R113	\$1,170	R114	\$1,980
			Red		Red		Red	
			Blue		Blue		Blue	
			Pink		Pink		Pink	
			Lime		Lime		Lime	
* Seat (includes seatbelt)	Small	R122	\$210 🗌	R132	\$210 🗌	N/A		
	Large	R128	\$355 🗌	R138	\$360 🗌	(included)		
* Handlebar G	Straight	R126	\$135 🗌	R136	\$145 🗌	R146	\$225 🗌	
	Loop	R129	\$135 🗌	R139	\$145 🗌	R149	\$225 🗌	
* Back support	Trunk support system	R147	\$485 🗌	R147	\$485	R147	\$485	
	OSE	Backrest pad	R145	\$110 🗌	R145	\$110 🗌	R145	\$110 🗌
Headrest (requires trunk support system)		Winged	R159	\$230 🗌	R159	\$230 🗌	R159	\$230 🗌
	SOOK	Contoured	R156	\$220 🗌	R156	\$220 🗌	R156	\$220 🗌
	ři.	Flat	R157	\$210 🗌	R157	\$210 🗌	R157	\$210 🗌
Handbrakes (factory installation recommended)			N/A		R125	\$110 🗌	(included)	
Communication tray	CHO	Small	K225	\$190 🗌	K225	\$190 🗌	K225	\$190 🗌
	Large	N/A	•••••	K245	\$195	K245	\$195	
Abductor Front guide bar Rear steering bar Front pulley Additional backrest pad Stationary stand Total			R121	\$90 🗌	R131	\$150	R141	\$170
			R135	\$135 🗌	R135	\$135 🗌	R135	\$135
			R123	\$235 🗌	R123	\$235 🗌	R143	\$260 🗌
			R144	\$45 🗌	R144	\$45 🗌	R144	\$45 🗌
			R145	\$110 🗌	R145	\$110 🗌	R145	\$110
			R155	\$120 🗌	R155	\$120 🗌	R155	\$120 🗌
			R120	\$	R130	\$	R140	\$

^{*} Required