


Rogue 10 and Little Wave Camber Mount



Replacement Camber Mount Towers may be quoted, but must be ordered through Customer Service If Little Wave XP was invoiced prior to June 2013, Standard or MX index or sliding towers may be present.

Item Number	Part Number	Description	Quantity
1, 2a, 11a, 12	503289	Camber Tower Clamp Black Anodized w/ Hardware Assembly, One Side RG/LW	1
1, 2b, 11a, 12	503289	Color Anodized/Color Accent Camber Tower Clamp w/ Hardware Assembly, One Side RG/LW	1
7a, 9, 10, 12, 13	503290	Camber Tower Mount Black Anodized w/ Hardware Assembly, One Side RG/LW	1
7b, 9, 10, 12, 13	503290	Color Anodized/Color Accent Camber Tower Mount w/ Hardware Assembly, One Side RG/LW	1
1	000912	Inside Camber Mount Clamp Rigid	1
2a	000913	Outside Camber Mount Clamp Black Anodized Rigid	1

Item Number	Part Number	Description	Quantity
		Used only on Rogue with positive CG or when a Wheelchair Drive Ready System is not present	
2b	000913	Color Anodized/Color Accent Outside Camber Mount Clamp Rigid Used only on Rogue with positive CG or when a Wheelchair Drive Ready System is not present	1
3a	000924	Camber Mount Tower Medium Black Anodized Rigid	1
3b	000924	Color Anodized/Color Accent Camber Mount Tower Medium Rigid	1
4a	000923	Camber Mount Tower Short Black Anodized Rigid	1
4b	000923	Color Anodized/Color Accent Camber Mount Tower Short Rigid	1
5a	000925	Camber Mount Tower Long Black Anodized Rigid	1
5b	000925	Color Anodized/Color Accent Camber Mount Tower Long Rigid	1
6a	000926	Camber Mount Tower Extra Long Black Anodized Rigid	1
6b	000926	Color Anodized/Color Accent Camber Mount Tower Extra Long Rigid	1
7a	001347	Camber Tower Mounting Clamp Rigid	1
7b	001347	Color Anodized/Color Accent Camber Tower Mounting Clamp Rigid	1
8	000920	Camber Mount Cap Rigid	1
9	101717	M5 x 25 SHCS BLK ZC	2
10	101734	M5 x 35 SHCS BLK ZC	1
11a	101186	M5 X 45 CLS12.9 DIN912 SHCS P/THD BLZ	2
		Used only on Rogue with positive CG or when a Wheelchair Drive Ready System is not present	
11b	003232	M6 x 55 BHCS Blk Zc	2
		Used only on Rogue with negative CG or when a Wheelchair Drive Ready System is present	
12	100657	M5 Nylock Nut Blk Zn	5
13	105015	M5 X 6 DIN914 SSS CONE PT PLN	2
		Used only on Little Wave or Rogue XP with 5th Wheel	

Color Anodizing Samples



















