

Züm-AP Folding Frame

MSRP – USA – USD Effective May 01, 2025

Date:

| Dealer / Location: | | T: | . F: |
|--|------------|----------|------|
| PO# / Client: | . Contact: | . Email: | |
| Züm-AP Folding Attendant Propel Mobile S foot supports, four dual-locking 5" (125mm | | | |

foot supports, four dual-locking 5" (125mm) casters and commode pan. Exclusive to Raz, IPAS helps reduce the possibility of pressure injury at key pressure points by providing up to 2" of fore/aft seat adjustment. User weight capacity 352 lbs. For help with justification, please see our Evaluation and Medical Justification Form.

Need help with this order form? Call Raz customer service at (877) 720-5678

1. Züm-AP Frame

| Z11118 | Züm-AP w/ 18"W frame – will fit over most toilets | \$2,395 |
|--------|---|---------|
|--------|---|---------|

There are many options and accessories that are compatible with the Züm-AP, but are not shown on this order form. Please contact our customer service department if you require an accessory that is not listed on this form.

2. Züm-AP Travel Kit – Must select 15"H Back Support (ZBZ1815)

| ZZUMAPTK | Züm-AP Travel Kit – Includes suitcase, component bags, toolless removable casters. Commode Pan | \$395 |
|----------|--|-------|
| | will not fit in Travel Kit suitcase. | |

3. Zum Backs – Back height is measured from the top of a standard molded seat to the top of back upholstery.

| ZZUB1815 | Zum Back - 18"W x 15"H w/ wrap-around removable arm supports, molded vinyl back upholstery and detachable push handles | Standard |
|-----------------------------|---|----------|
| ZUZR1815 | Back Upholstery Tension-Adjustable $18^{\prime\prime}W \times 15^{\prime\prime}H \text{ w/}$ band clamps and upholstery support clips for wrap-around back style (for ZZUB1815) | \$215 |
| ZZUB1817 | Zum Back - 18"W x 17"H w/ wrap-around removable arm supports, molded vinyl back upholstery and detachable push handles | N/C |
| ZUZR1817 | Back Upholstery Tension-Adjustable $18^{\prime\prime}W \times 17^{\prime\prime}H \text{ w/}$ band clamps and upholstery support clips for wrap-around back style (for ZZUB1817) | \$215 |
| ¹ Arm Support Lo | ock Kit not included [See Sec.7] | |

4. Seats – Standard – Molded and VFI seats, formerly designated 16"D and 19"D, are now designated 17"D and 20"D, which is the center of the IPAS range and the position in which they are shipped from the factory.

| Molded Seats (thickness ~2.5"-3") | | Visco-Foam Int | erface Seats (thickness ~3.5") | | |
|-----------------------------------|--|----------------|--------------------------------|-----------------------------|-------|
| ZMS17FRO | 18"W x 17"D – Front Access | Standard | ZVFI17BRI | 18"W x 17"D – Front Bridged | \$425 |
| ZMS17BRI | 18"W x 17"D – Front Bridged | N/C | ZVFI17FRO | 18"W x 17"D – Front Access | \$425 |
| ZMS20FRO | 18"W x 20"D – Front Access | \$135 | ZVFI17LTO | 18"W x 17"D – Left Access | \$425 |
| ZMS20BRI | 18"W x 20"D – Front Bridged | \$135 | ZVFI17RTO | 18"W x 17"D – Right Access | \$425 |
| Specialty Seats | Specialty Seats | | ZVFI17RRO | 18"W x 17"D – Rear Access | \$425 |
| ZSOM | Shower-Only Seat – Molded | \$425 | ZVFI20BRI | 18"W x 20"D – Front Bridged | \$495 |
| | 18"W x 16"-21"D | | ZVFI20FRO | 18"W x 20"D – Front Access | \$495 |
| ZEJRM | E&J Replica Seat – Molded – 18"W x 17"D | \$195 | ZVFI20LTO | 18"W x 20"D – Left Access | \$495 |
| | | 400- | ZVFI20RTO | 18"W x 20"D – Right Access | \$495 |
| ZEJRV | E&J Replica Seat – Visco Foam – 18"W x 17"D | \$895 | ZVFI20RRO | 18"W x 20"D – Rear Access | \$495 |

5. Seat-to-Floor (STF) Height Options

| ZSTF1HZAP | Seat-To-Floor – 1" higher (22.5" STF with Molded Seat) | \$410 |
|-----------|--|-------|
| ZSTF2HZAP | Seat-To-Floor – 2" higher (23.5" STF with Molded Seat) | \$455 |
| ZSTF1LZAP | Seat-To-Floor – 1" lower (utilizes 4" caster for 20.5" STF with Molded Seat) | \$430 |

6. Seats - Custom

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required. See <u>Custom Seat Assessment Form</u> – Resources tab at razdesigninc.com

ZCSEAT Custom Dual-Visco Foam Seat (enter specs below) Select if both width and depth are ≤ 21" \$795

ZCEJR Custom E&J Replica Seat (enter specs below) Select if both width and depth are ≤ 21" \$995

Custom Specifications (for above custom seats)

Custom Seat Width: __ 18" / 20" (cannot be more than 2" wider than frame width)

Custom Seat Depth: __ 16" / 17" / 18" / 19" / 20"

Access Opening: __ FR - Front / LT - Left / RT - Right / RR - Rear / BR - Bridged Access Opening Width: __ 2.5" / 3.0" / **3.5"** / 4.0" / 4.5" / 5.0" (**3.5"**W is standard)

Aperture Width: __ 3.0"-8.0" (6.5" recommended) – enter "NA" if aperture is not required

- Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.
- Custom Seat width should not be narrower than 18"W.
- Custom Seat can be up to 2" wider than seat frame width to provide additional thigh support.
- For Custom Seats, the Ischial Pelvic Alignment System (IPAS) allows +/- 1" fore / aft adjustment from specified custom seat depth.
- Available modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, pelvic obliquity accommodation, etc. Contact customer service for more information.

7. Arm Support Accessories – Must order Tubular Arm Support Pads or Long / Short Arm Support Pads for compatibility with Zum Travel Kits (ZZUMAPTK)

| ZASWL | Arm Supports (pr) Wraparound – Long | Standard |
|---------------|---|----------|
| ZASWS | Arm Supports (pr) Wraparound – Short | N/C |
| Arm Support F | Pads | |
| ZARMLL | Molded pad long 13" – Left (fits ZASWL) | Standard |
| ZARMLR | Molded pad long 13" – Right (fits ZASWL) | Standard |
| ZARMSL | Molded pad short ¹ 10" – Left (fits ZASWS) | N/C |
| ZARMSR | Molded pad short ¹ 10" – Right (fits ZASWS) | N/C |
| ZTAPLL | Tubular pad long 13" – Left (in lieu of molded pads, fits ZASWL) | N/C |
| ZTAPLR | Tubular pad long 13" – Right(in lieu of molded pads, fits ZASWL) | N/C |
| ZTAPSL | Tubular pad short 10" – Left (in lieu of molded pads, fits ZASWS) | N/C |
| ZTAPSR | Tubular pad short 10" – Right (in lieu of molded pads, fits ZASWS) | N/C |
| ZFAPLL | Molded Flat Armpad Long 14"L x 3.25"W – Left (fits ZASWL) | \$90 |
| ZFAPLR | Molded Flat Armpad Long 14"L x 3.25"W – Right (fits ZASWL) | \$90 |
| ZFAPSL | Molded Flat Armpad Short 10"L x 3"W – Left (fits ZASWS) | \$90 |
| ZFAPSR | Molded Flat Armpad Short 10"L x 3"W – Right (fits ZASWS) | \$90 |
| ZTRL | Molded Arm Trough 18.5"L x 4.5"W –Left (fits ZASWL) | \$110 |
| ZTRR | Molded Arm Trough 18.5"L x 4.5"W – Right (fits ZASWL) | \$110 |
| ZPAML | Pivoting Arm Mount ² – Left (for ZFAPLL / ZTRL) | \$165 |
| ZPAMR | Pivoting Arm Mount ² – Right (for ZFAPLR / ZTRR) | \$165 |
| ZAPSB18 | Anterior Posture Support Bar (for ZARML only) | \$225 |
| | e with ZFAP / ZTR / ZPAM I when Lateral Thoracic Supports (TLTL/S) and Molded Arm Troughs (ZTR) are both ordered | |

8. Foot and Leg Supports – Only ZFSL/R, ZFET2L/R, ZMFX8L/R, ZMFX12L/R are compatible with Zum Travel Kits (ZZUMAPTK)

| ZFSL | Foot Support Left – 16"-20.5" | Standard |
|-------------------------------|--|----------|
| ZFSR | Foot Support Right – 16"-20.5" | Standard |
| ZFET2L | Footrest Extension Tube ¹ Left – 2" longer | \$25 |
| ZFET2R | Footrest Extension Tube ¹ Right – 2" longer | \$25 |
| ZMFX8L | MFX8 Foot Support Left – 8"- 12" | \$20 |
| ZMFX8R | MFX8 Foot Support Right – 8"- 12" | \$20 |
| ZMFX12L | MFX12 Foot Support Left – 12"-16.5" | \$35 |
| ZMFX12R | MFX12 Foot Suppors Right – 12"-16.5" | \$35 |
| ZADABS18L | Angle/Depth Adj ABS Footplate Left For 18"W frame | \$95 |
| ZADABS18R | Angle/Depth Adj ABS Footplate Right For 18"W frame | \$95 |
| ZADML | Adj Angle/Depth Molded Footplate ² - Left | \$60 |
| ZADMR | Adj Angle/Depth Molded Footplate ² - Right | \$60 |
| ZFET2AL | Footrest Extension Tube Left for ZADML – 2" longer | \$25 |
| ZFET2AR | Footrest Extension Tube Right for ZADMR – 2" longer | \$25 |
| ZELRL | Elevating Leg Support ³ – Left | \$495 |
| ZELRR | Elevating Leg Support ³ – Right | \$495 |
| ZVS18 | V-Style Foot Support (1-piece) 16"-20.5" For 18"W base frame | \$295 |
| ZRLSL | Universal Residual Limb Support – Left | \$195 |
| ZRLSR | Universal Residual Limb Support – Right | \$195 |
| | vith ZMFX12/ZADM/ZVS/ZFBT | |
| ² Not compatible w | vith Z30016 | |

 3 ZELRL/R compatible with frame widths \geq 18" and adjusted seat depths \leq 18" or \leq 21" w/ 3" longer seat frames (Z3LNGSF3)

| | () | |
|----------------------------|---|-------|
| ZFSLK | Foot Support Lock (pr) | \$95 |
| ZCS18 | Calf Strap, Snap-On – Bodypoint Aeromesh – for 18"W base frame | \$105 |
| ZCSIC18 | Calf Strap, Snap-On – Infection Control – for 18"W base frame | \$95 |
| ZCPL | Calf Panel – Bodypoint Aeromesh ¹ Fits frame widths (16" / 18" / 20") | \$225 |
| ZHS1820 | H-Strap – for 18" / 20"W frames – hook and loop attachment | \$90 |
| ZAHL | Adjustable Heel Loops (pr) (not available for ZVS / ZFBT) | \$60 |
| ZNC | Neoprene Cover for Standard Footplate (pr) | \$90 |
| ZNCA | Neoprene Cover for Angle/Depth Adjustable Footplates | \$90 |
| ZNCVS | Neoprene Cover for V-Style Foot Support | \$90 |
| ZLOR | Lateral Offset Foot Support Receiver (ea) – moves foot support 2" laterally or medially. Specify 1 or 2 | \$95 |
| ZMOR | Medial Offset Foot Support Receiver (ea) – moves foot support 2" laterally or medially. Specify 1 or 2 | \$95 |
| ZFOR | Forward Offset Foot Support Receiver – (ea) Moves foot support forward 2.5" to accomodate deeper seats and reduced knee flexion range. Specify 1 or 2 | \$95 |
| ¹ Not compatibl | e with ZMFX12 / ZFBT / ZVS | |

^{9.} Foot and Leg Support Accessories – ZFSLK, ZAHL, ZNCA, ZNCVS are NOT compatibe with Zum Travel Kits (ZZUMAPTK)

10. Positioning Pads – Pad Sizes: Small 5.5" x 3.5" / Large – 6.75" x 4.3". Nothing in Sec. 10 is compatible with Zum Travel Kits (ZZUMAPTK)

Lateral Thoracic Supports - Portable - for Backs with Wrap-Around Arm Supports. Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For up to 4.5" medial offset, specify ZLAEP extension plate. \$325 ZLTSWAP1L Lateral Thoracic Support - Portable w/ Small Pad - Left ZLTSWAP1R Lateral Thoracic Support - Portable w/ Small Pad - Right \$325 ZLTSWAP2L Lateral Thoracic Support - Portable w/ Large Pad - Left \$325 ZLTSWAP2R Lateral Thoracic Support - Portable w/ Large Pad - Right \$325 **Extension Plates for Lateral Thoracic Supports** These plates allow for an additional 1.5" medially and can be used on Lateral Thoracic Support, Hip and Leg Adductors **ZLAEPL** Lateral/Adductor Extension Plate - Left (ea) \$28 **ZLAEPR** Lateral/Adductor Extension Plate - Right (ea) \$28

11. Pelvic and Chest Belts - A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

| Pelvic Belts | | · | Chest Belts | | | | |
|---------------------------|--|-------|-------------|---|-------|--|--|
| ZPBM | Pelvic Belt – Medium (2-piece w/ side-release buckle) | \$50 | ZCBM | Chest Belt – Medium (1-piece w/ hook and loop closure) | \$45 | | |
| ZPBL | Pelvic Belt – Large (2-piece w/ side-release buckle) | \$50 | ZCBL | Chest Belt – Large (1-piece w/ hook and loop closure) | \$45 | | |
| ZPBICM | Infection Control Pelvic Belt ¹ – Medium (2-piece w/ side-release buckle) | \$75 | ZCBICM | Infection Control Chest Belt ¹ – Medium (1-piece w/ side-release buckle) | \$75 | | |
| ZPBICL | Infection Control Pelvic Belt ¹ – Large (2-piece w/ side-release buckle) | \$85 | ZCBICL | Infection Control Chest Belt ¹ – Large (1-piece w/ side-release buckle) | \$85 | | |
| ZPBBPM | Pelvic Belt – Bodypoint Aeromesh – Medium | \$215 | ZCBBPM | Chest Belt – Bodypoint Aeromesh – Medium | \$215 | | |
| ZPBBPL | Pelvic Belt – Bodypoint Aeromesh – Large | \$215 | ZCBBPL | Chest Belt – Bodypoint Aeromesh – Large | \$215 | | |
| ¹ Non-absorber | ¹ Non-absorbent belts – recommended for infection-control environments | | | | | | |

12. Urine Management - Nothing in Sec. 12 is compatible with Zum Travel Kits (ZZUMAPTK)

| | , | |
|--------------------------|---|-------|
| ZIHW | Whizard – winged urine deflector – Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place. | \$67 |
| ZSS | SplaShield – Molded urine deflector (must be held in place during use) | \$125 |
| ZSC17 | Splash Curtain ¹ for 17"D Bridged Front Seats, Molded and VFI (surrounds entire aperture, raises seat 1/2"). | \$325 |
| ZSC20 | Splash Curtain ¹ for 20"D Bridged Front Seats, Molded and VFI (surrounds entire aperture, raises seat 1/2"). | \$345 |
| ZSCFR | Splash Curtain for 17" / 20"D (at front of aperture only, not for Front Open Seats) | \$345 |
| ZSCC | Custom Splash Curtain for Custom Seats – Raises seat 1/2" | \$345 |
| ZSCSI | Slide-In Splash Curtain – Vinyl curtain, slides into commode pan brackets | \$345 |
| ¹ Bridged Fro | nt Seats only. For Left, Right, Front, and Rear Open, call for pricing. | |

13. Other – ZPSK is not compatible with Zum Travel Kits (ZZUMAPTK)

| ZZUMAPCTLB | AP Caster TriLobe w/ Lanyard (set of 4) | \$70 |
|--------------------------------|---|-------|
| ZPSK1 | Commode Pan Spacer Kit ¹ – 1" lower | \$200 |
| ZPSK2 | Commode Pan Spacer Kit ¹ – 2" lower | \$215 |
| ZPSK3 | Commode Pan Spacer Kit ¹ – 3" lower | \$230 |
| ZPSK4 | Commode Pan Spacer Kit ¹ – 4" lower | \$245 |
| ¹ Commode Pan Space | er Kits provide extra clearance for perianal care with pan in place. Increases height required to clear toilet. | |

14. Credits and Omissions

| Z905 | Omit Commode Pan and | -\$20 | Z907 | Omit Standard Foot Supports | -\$45 |
|------|----------------------|-------|------|-----------------------------|-------|
| | Mounting Brackets | | | | |

Some assembly of Raz products is required.

15. Notes:

| L | | |
|---|--|--|
| | | |

| Specifications | | Züm-AP | | |
|--|--|---|--|--|
| Weight Capacity | | 352 lbs (160 kg) | | |
| Overall Width | Frame OpenFrame FoldedFrame Folded | 23.25" (59 cm) 11" (28 cm) 7.5" (19 cm) – (back assembly removed) | | |
| Overall Length - with standard footrests | | 34" (86 cm) | | |
| Seat Width | | 18" (46 cm) | | |
| Clearance Height Under Seat – with pan brackets – without pan brackets | | 17.25" (43 cm) 17.75" (45 cm) | | |
| Armrest Height Above Seat | | 8" (20 cm) | | |
| Seat-to-Floor Height | | 21.5" (55 cm) | | |
| Product Weight | | 44 lbs (20 kg) | | |
| Frame Materials – base frame – back frame and footrests – hardware | | Aluminum Stainless Steel Stainless Steel | | |