

Raz-SP Self Propel

MSRP – USA – USD Effective July 11, 2025

RAZ	Self Propel		Date:	
Dealer / Location:		T:	F:	
PO# / Client:	Contact:	Email:		

Raz-SP: Self Propel Mobile Shower Commode Chair with height-adjustable stainless-steel frame, Fixed Back, flip-up padded arm supports, foot supports, 22" or 24" rear wheels, front dual-locking 5" (125mm) casters and commode pan. Exclusive to Raz, IPAS helps reduce the possibility of pressure injury at key pressure points by providing up to 2" of fore/aft seat adjustment. User weight capacity 407 lbs.

For help with justification, please see our Evaluation and Medical Justification Form.

Need help with this order form? Call Raz customer service at (877) 720-5678

1. Standard	Raz-SP Frame (18"W) – If you require a special width, depth and / or height see [Sec. 2]	
Z20018	Raz-SP w/ 18"W base frame – Standard base frame width, will fit over most toilets	\$2,350

Z20016	Raz-SP w/ 16"W frame width ¹ (base chair price – custom upcharge below will be added)	\$2,350
Z2SW16	Upcharge for custom 16"W frame – will not fit over most toilets	\$495
Z20020	Raz-SP w/ 20"W frame width ² (base chair price – custom upcharge below will be added)	\$2,350
Z2SW20	Upcharge for custom 20"W frame	\$495
Z20022	Raz-SP w/ 22"W frame width (base chair price – custom upcharge below will be added)	\$2,350
Z2SW22	Upcharge for custom 22"W frame	\$595
Custom Frame Co	onfigurations	
ZLNGF3	Upcharge for custom 3" Longer Frame	\$395
Z2LOWF4	Upcharge for custom Low Frame ³ (16"-18" STF, 4" lower than standard) -22 " rear wheels only	\$495
¹ 18"W Visco Foan	n Interface seats can be modified to fit.	
² 18"W seats can b	e selected but must also select Seat Support Kit (ZSSKAS) [Sec.3]	
³ Forward Offset Fo	ot Support Receiver ZFOR [Sec. 11] is required when selecting seats that are 20" or deeper.	

3. Seats – Standard – Please note that the Molded and VFI seats, formerly designated 16"D and 19"D, are now designated 17"D and 20"D, which is the center of the IPAS range and the position in which they are shipped from the factory.

Molded Seats	(thickness ~2.5"-3")		Visco-Foam Interface Seats (thickness ~3.5")				
ZMS17FRO	18"W x 17"D – Front Access	Standard	ZVFI17BRI	18"W x 17"D – Front Bridged	\$425		
ZMS17BRI	18"W x 17"D – Front Bridged	N/C	ZVFI17FRO	18"W x 17"D – Front Access	\$425		
ZMS20FRO	18"W x 20"D – Front Access	\$135	ZVFI17LTO	18"W x 17"D – Left Access	\$425		
ZMS20BRI	18"W x 20"D – Front Bridged	\$135	ZVFI17RTO	18"W x 17"D – Right Access	\$425		
Specialty Seat	S		ZVFI17RRO	18"W x 17"D – Rear Access	\$425		
ZSOM	Shower-Only Seat – Molded	\$425	ZVFI17FAR	18"W x 17"D – Front and Rear Access	\$425		
	18"W x 16"-21"D		ZVFI20BRI	18"W x 20"D – Front Bridged	\$495		
ZEJRM	E&J Replica Seat – Molded – 18"W x 17"D	\$195	ZVFI20FRO	18"W x 20"D – Front Access	\$495		
ZEJRV	-	\$895	ZVFI20LTO	18"W x 20"D – Left Access	\$495		
ZLJRV	E&J Replica Seat – Visco Foam – 18"W x 17"D	روود	ZVFI20RTO	18"W x 20"D – Right Access	\$495		
			ZVFI20RRO	18"W x 20"D – Rear Access	\$495		
			ZVFI20FAR	18"W x 20"D – Front and Rear Access	\$495		
Seat Options							
ZSSKAS Seat Support Kit for Raz-SP - These are used to support the sides of seats that are narrower than seat frames on which they are mounted. A typical example would be when a 20"W chair is needed but an 18"W standard seat (Molded, VFI, EJR, or Shower Only Seat) is selected.							
ZSS05	Spacers for Front Seat Brackets – 1/2	2" (pr) – for ad	ding dump angle	(based on 18"D seat)	\$85		
ZSS10	Spacers for Front Seat Brackets – 1"	(pr) – for addir	ng dump angle (b	based on 18"D seat)	\$95		

4. Seats – Custom

4. Seats – Custom							
	pecify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rea						
Select Bridged if an access of	opening is not required. See <u>Custom Seat Assessment Form</u> – Resources tab at razdesigninc.com						
ZCSEAT	Custom Dual-Visco Foam Seat (enter specs below) Select if both width and depth are \leq 21"	\$795					
ZCEJR	Custom E&J Replica Seat (enter specs below) Select if both width and depth are $\leq 21''$	\$995					
ZCSEATHD	Custom Dual-Visco Foam Seat – HD (enter specs below) Select if width and/or depth is $\geq 22''$	\$1 <i>,</i> 095					
Custom Specifications	(for above custom seats)						
Base Frame Width: Custom Seat Width: Custom Seat Depth: Access Opening: Access Opening Width: Aperture Width:	 16" / 18" / 20" / 22" 16" / 18" / 20" / 22" / 24" (cannot be more than 2" wider than frame width) 15" / 16" / 17" / 18" / 19" / 20" / 21" / 22" / 23" / 24" [≥ 21" requires Long Frame (ZLNGF FR - Front / LT - Left / RT - Right / RR - Rear / BR - Bridged 2.5" / 3.0" / 3.5" / 4.0" / 4.5" / 5.0" (3.5"W is standard) 3.0"-8.0" (6.5" recommended) - enter "NA" if aperture is not required 	3)]					
• Unless otherwise requested	d, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats	s.					
• Custom Seat width should r	• Custom Seat width should not be narrower than frame width.						
• Custom Seat can be up to 2	" wider than seat frame width to provide additional thigh support without ordering wider chair frame.						
• For Custom Seats, the Ischia	al Pelvic Alignment System (IPAS) allows +/- 1" fore / aft adjustment from specified custom seat depth.						

• Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, pelvic obliquity accomodation, etc.

5. Fixed Back Frames (18"W only)

	Fixed" Back because the arm supports are not adjustable in height. Includes molded vinyl back sup				
flip-up padded arm supports, back angle adjustment (90°/97°) with cane-style posts. Back height is measured from top of molded					
seat to top of back support. Hip Adductors [ZHPG] are not compatible with Fixed Back.					
ZFB1818	Fixed Back – 18"W x 18"H (Armrest Lock Kit (ZALK) [Sec.11] is not included.)	Standard			
ZFBU1818	Tension-Adjustable Back Upholstery for Fixed Back	\$185			

6. Adjusta-Back Frames – Back frame widths will be the same as the seat frame widths unless otherwise selected in Sec 8.

Includes height-and angle-adjustable arms with Armrest Lock Kit (ZALK), tension-adjustable back upholstery, flip-up padded arm supports, back angle adjustment (90°/97°). Back heights of 15"/17"/20" include cane-style posts, on which back upholstery can be positioned 2.5" higher than nominal height indicated below. e.g. 20"H can be moved up to 22.5"H. Adjusta-Back – 24"H includes straight posts, which do not allow the back upholstery to be raised.

ZAB 15*	Adjusta-Back ¹ – 15"H * insert back frame width to complete the code (14" / 16" / 18" / 20" / 22")	\$225
ZAB 17*	Adjusta-Back ¹ – 17"H * insert back frame width to complete the code (14" / 16" / 18" / 20" / 22")	\$225
ZAB 20*	Adjusta-Back ¹ – 20"H * insert back frame width to complete the code (14" / 16" / 18" / 20" / 22")	\$295
ZAB 24*	Adjusta-Back ¹ – 24"H * insert back frame width to complete the code (16" / 18" / 20" / 22")	\$345
Reclining Backs – included with Rec	30° Reclining back frame width must be the same as the seat frame width. 2-Point Arms (Z2PLAS / Z2PSAS clining Backs.	5) are
ZRBS 20*	Reclining Adjusta-Back with 20"H back (anti-tippers included) * insert back frame width to complete the code (16" / 18" / 20" / 22")	\$945
ZRBS 24*	Reclining Adjusta-Back with 24"H back (anti-tippers included) * insert back frame width to complete the code (16" / 18" / 20" / 22")	\$995
ZDTL	Dual Triggers – both on left side	N/C
ZDTR	Dual Triggers – both on right side	N/C
¹ Dual Tilt Triggers o	pption positions both triggers on one side, allowing for single-handed activation.	

7. Custom Back Frame Width Narrower Than Chair Frame Width – Must choose back frame [Sec.7] (configurations below are not available for recliner backs)

NOTE: For back fra	ame width variances on recliner frame	s, pleas	e request custom quo	tation.				
ZNB*	Custom Back Frame 2" Narrower	\$345	Base Frame Width	16″	18″	20″	22″	l
	than base frame		Back Frame Width	14″ ¹	16" ²	18″ ³	20" ⁴	
	ack frame widths to complete code. fies a 20"W chair frame with ne			1	I		I	\square
ZNB*	Custom Back Frame 4" Narrower	\$355	Base Frame Width	18"	20″	22″	24"	0 0
	than base frame – requires custom seat		Back Frame Width	14" ¹	16" ²	18" ³	20" ⁴	
	ack frame widths to complete code. fies a 20"W seat frame with a							U
¹ Requires Custom S	oat							

¹ Requires Custom Seat

² Compatible with all 18"W seats but with reduced seat depth range. Also compatible with Custom or modified Visco-Foam Interface seats.

³ Custom Seat recommended. Also compatible with all 18"W seats with Seat Support Kit ZSSKAS [Sec.3].

⁴ Custom Seat required.

8. Back Support Options – These back supports replace the molded vinyl upholstery on a Fixed Back or tension-adjustable upholstery on an Adjusta-Back. Symphony and Harmony Backs are recommended for infection-control environments.

ZSB14	14"W Symphony Back ¹ – recessed solid back support	\$295
ZSB16	16"W Symphony Back ¹ – recessed solid back support	\$295
ZSB18	18"W Symphony Back ¹ – recessed solid back support	\$295
ZSB20	20"W Symphony Back ¹ – recessed solid back support	\$395
ZSB22	22"W Symphony Back ¹ – recessed solid back support	\$465
ZHB	Harmony Back ^{1,2} (contoured solid back – 18"W x 13"H) Fits 18"W back frames only Fits 17" / 20" back heights only	\$295
¹ Does not fi	t 15"H backs	
² Not recom	nended for reclining backs.	

9. Rear Wheels, Anti-Tippers and Caster Options - Rear Anti-Tippers Are Strongly Recommended

ZRW22	22" Diameter Wheels w/ Textured Handrims	Std	ZCSLSP	User-Actuated Caster Swivel Lock w/	\$395
ZRW24	24" Diameter Wheels w/ Textured Handrims	N/C		extension handles (pr)	
ZQRSP	Quick-Release Axles (pr)	\$45	ZATSPRR	Anti-Tippers – Rear (pr) standard and	\$115
ZWLE	Wheel Lock Extension Kit ¹ (pr)	\$75		long frames ²	
ZVH22	Vinyl-Coated Handrims for 22" (pr)	\$395	ZATSPLWRR	Anti-Tippers – (pr) Rear for low frame ²	\$115
ZVH24	Vinyl-Coated Handrims for 24" (pr)	\$425	ZATAS	Anti-Tippers – Front (pr) ²	\$245
ZPH22	Vertical Projection Handrims – 22" (pr)	\$595	ZCUSP4	4" Caster Upgrade (2x)	\$60
ZPH24	Vertical Projection Handrims – 24" (pr)	\$655	ZCUSP6	6" Caster Upgrade (2x)	\$175
¹ Compatible	with old-style aluminum Wheel Locks only		² Front Anti-Tippe	rs provideded according to caster diameter or	dered.

10. Arm Supports and Accessories

	ZARMTL	Long Arm Support Tubes (pr)	Standard
	ZARMTS	Short Arm Support Tubes (pr)	N/C
	ZARMLL	Long Arm Support Pad 13"L – Left	Standard
	ZARMLR	Long Arm Support Pad 13"L – Right	Standard
	ZARMSL	Short Arm Support Pad ¹ 10"L – Left	N/C
	ZARMSR	Short Arm Support ¹ Pad 10"L – Right	N/C
	ZALK	Arm Support Locks (pr) for Fixed Back (ZFB1818)	\$75
	Z2PLAS	2-Point Arm Supports ² (pr) with 13"L pads (std with reclining backs)	\$345
	Z2PSAS	2-Point Arm Supports ² (pr) with 10"L pads (std with reclining backs)	\$345
	ZFAPLL	Long Molded Flat Armpad ³ – Left (14"L x 3.25"W – fits ZARM13)	\$90
	ZFAPLR	Long Molded Flat Armpad ³ – Right (14"L x 3.25"W – fits ZARM13)	\$90
	ZFAPSL	Short Molded Flat Armpad ³ – Left (10"L x 3"W – fits ZARM10)	\$90
	ZFAPSR	Short Molded Flat Armpad ³ – Right (10"L x 3"W – fits ZARM10)	\$90
	ZTRL	Molded Arm Trough ³ – Left (18.5″L x 4.5″W)	\$110
	ZTRR	Molded Arm Trough ³ – Right (18.5"L x 4.5"W)	\$110
	ZPAML	Pivoting Arm Mount – Left (for ZFAPLL/ZTRL)	\$165
	ZPAMR	Pivoting Arm Mount – Right (for ZFAPLR / ZTRR)	\$165
	ZASK05	Arm Support Spacer Kit – 1/2" per side for all Adjusta-Backs (pr)	\$60
	ZASK10	Arm Support Spacer Kit – 1" per side for all Adjusta-Backs (pr)	\$115
	ZPHGL	Pivoting Hand Grips (pr) for 13"L arms ⁴	\$395
	ZPHGS	Pivoting Hand Grips (pr) for 10"L arms ⁴	\$395
	ZAPSB*	Anterior Posture Support Bar ⁵ * Enter frame width to complete code (14" / 16" / 18" / 20")	\$225
	ZAPSB*	Anterior Posture Support Bar ^{5,6} * Enter frame width to complete code (22" / 24")	\$245
F	eclining Back	Arm Support Accessories	
	Z2PLASR	2-Point Flip-up Arm Supports (Long) (pr)	N/C
	Z2PSASR	2-Point Flip-up Arm Supports (Short) (pr)	N/C
	ZASKR05	Arm Support Spacers 1/2" per side (pr) for Reclining Back Support	\$60
	ZASKR10	Arm Support Spacers 1" per side (pr) for Reclining Back Support	\$115
1	Not compatible	e with ZFAPL / ZFAPS / ZTR / ZPAM	
1		same back width and drame width only	
		PAM / ZASK05 / ZASK10 for Arm Support to flip up, depending on medial / lateral position of the Flat Arm Pad or Arm Tr	ough
1		S combined with 2 Point Arms requires a custom upcharge	
	•	e with ZFAPL / ZFAPS / ZTR	
Ľ	special length i	required with ZASK05 (+1") and ZASK10 (+2")	

11. Foot and Leg Supports

ZFSL	Foot Support Left – 16"-20.5"	Standard
ZFSR	Foot Support Right – 16"-20.5"	Standard
ZFET2L	Footrest Extension Tube ¹ Left – 2" longer	\$25
ZFET2R	Footrest Extension Tube ¹ Right – 2" longer	\$25
ZMFX8L	MFX8 Foot Support Left – 8"- 12"	\$20
ZMFX8R	MFX8 Foot Support Right – 8"- 12"	\$20
ZMFX12L	MFX12 Foot Support Left – 12"-16.5"	\$35
ZMFX12R	MFX12 Foot Support Right – 12"-16.5"	\$35
ZADABS18L	Angle/Depth Adj ABS Footplate Left For 18"W frame	\$95
ZADABS18R	Angle/Depth Adj ABS Footplate Right For 18"W frame	\$95
ZADML	Adj Angle/Depth Molded Footplate ² - Left	\$60
ZADMR	Adj Angle/Depth Molded Footplate ² - Right	\$60
ZFET2AL	Footrest Extension Tube Left for ZADML – 2" longer	\$25
ZFET2AR	Footrest Extension Tube Right for ZADMR – 2" longer	\$25
ZVS*	V-Style Foot Support (1-piece) 16"-20.5" * Enter frame width to complete code (16" / 18")	\$295
ZVS*	V-Style Foot Support (1-piece) 16"-20.5" * Enter frame width to complete code (20" / 22")	\$345
ZFBAS	Flip-Back Foot Support (1-piece) 16.5"-20"	\$295
ZELRL	Elevating Leg Support ³ – Left (includes ZADML)	\$495
ZELRR	Elevating Leg Support ³ – Right (includes ZADMR)	\$495
ZRLSL	Universal Residual Limb Support – Left	\$195
ZRLSR	Universal Residual Limb Support – Right	\$195
oot Support Opt	ions for 16"W Frames	
ZFS16L	Foot Supports for 16"W frame Left – (16"-20.5")	N/0
ZFS16R	Foot Supports for 16"W frame Right – (16"-20.5")	N/0
ZADABS16L	Angle/Depth Adj ABS Footplate Left for 16"W frame	\$98
ZADABS16R	Angle/Depth Adj ABS Footplate Right For 16"W frame	\$98
ZMFX816L	MFX8 Foot Support for 16"W Frame Left – 8"- 12"	\$20
ZMFX816R	MFX8 Foot Support for 16"W Frame Right – 8"- 12"	\$20
ZMFX1216L	MFX12 Foot Support for 16"W Frame Left – 12" - 16.5"	\$35
ZMFX1216R	MFX12 Foot Support for 16"W Frame Right – 12" - 16.5"	\$35
•	th ZMFX12/ZADM/ZVS/ZFBT	
Not compatible wi		
ZELRL/R compatib	e with frame widths \ge 18" and adjusted seat depths \le 18" or \le 21" w/ 3" longer seat frames (Z3LNGSF3)	

12. Foot and Leg Support Accessories

ZFSLK	Foot Support Lock (pr)	\$95
-		
ZCS*	Calf Strap, Snap-On – Bodypoint Aeromesh * Enter frame width to complete code (16" / 18" / 20" / 22")	\$105
ZCSIC*	Calf Strap, Snap-On – Infection Control * Enter frame width to complete code (16" / 18" / 20")	\$95
ZCSIC22	Calf Strap, Snap-On – Infection Control * Enter frame width to complete code For 22"W frame	\$125
ZCPL	Calf Panel – Bodypoint Aeromesh ¹ Fits frame widths (16" / 18" / 20")	\$225
ZHS1820	H-Strap – for 18" / 20"W frames – hook and loop attachment	\$90
ZHS2224	H-Strap – for 22"/ 24"W frames – hook and loop attachment	\$110
ZAHL	Adjustable Heel Loops (pr) (not available for ZVS / ZFBT)	\$60
ZNC	Neoprene Cover for Standard Footplate (pr)	\$90
ZNCA	Neoprene Cover for Angle/Depth Adjustable Footplates	\$90
ZNC16	Neoprene Covers for Narrow Molded Footplates – 16"W frame (pr)	\$90
ZNCABS16	Neoprene Cover for Narrow Molded ABS Angle/Depth Adjustable Footplates	\$90
ZNCVS	Neoprene Cover for V-Style Foot Support	\$90
ZNCFB	Neoprene Cover for Flip-Back Foot Support	\$90
ZLOR	Lateral Offset Foot Support Receiver (ea) – moves foot support 2" laterally or medially. Specify 1 or 2	\$95
ZMOR	Medial Offset Foot Support Receiver (ea) – moves foot support 2" laterally or medially. Specify 1 or 2	\$95
ZFOR	Forward Offset Foot Support Receiver – (ea) Moves foot support forward 2.5" to accomodate deeper seats and reduced knee flexion range. Specify 1 or 2	\$95
¹ Not compatible	e with ZMFX12 / ZFBT / ZVS	

13. Positioning Pads – Pad Sizes: Small 5.5" x 3.5" / Large – 6.75" x 4.3".

Head Suppo	rts			
ZHSAS1	Head Support with small pad	\$495		
ZHSAS2	Head Support with large pad	\$545		
ZOHIP	Lateral Offset Head Support Interface Plate – up to 22° of adjustment	\$75		
Lateral Thor	acic Supports – Pads on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For up to 4. ZLAEP extension plate.			
ZLTS1L	Lateral Thoracic Support w/ Small Pad – Left	\$225		
ZLTS1R	Lateral Thoracic Support w/ Small Pad – Right	\$225		
ZLTS2L	Lateral Thoracic Support w/ Large Pad – Left	\$225		
ZLTS2R	Lateral Thoracic Support w/ Large Pad – Right	\$225		
Leg Adducte	ors			
ZLGAS1L	Leg Adductor w/ Small Pad – Left	\$225		
ZLGAS1R	Leg Adductor w/ Small Pad – Right	\$225		
ZLGAS2L	Leg Adductor w/ Large Pad – Left	\$225		
ZLGAS2R	Leg Adductor w/ Large Pad – Right	\$225		
Hip Adducto	ors			
ZHP1L	Hip Adductor w/ Small Pad – Left	\$225		
ZHP1R	Hip Adductor w/ Small Pad – Right	\$225		
ZHP2L	Hip Adductor w/ Large Pad – Left			
ZHP2R	Hip Adductor w/ Large Pad – Right			
Hip Adducto	ors For Reclining Backs			
ZHPR1L	Hip Adductor for Reclining Back w/ Small Pad – Left	\$225		
ZHPR1R	Hip Adductor for Reclining Back w/ Small Pad – Right	\$225		
ZHPR2L	Hip Adductor for Reclining Back w/ Large Pad – Left			
ZHPR2R	Hip Adductor for Reclining Back w/ Large Pad – Right			
	lates for Lateral Thoracic Supports and Hip / Leg Adductors llow for an additional 1.5" medially and can be used on Lateral Thoracic Support, Hip and Leg Adductors			
ZLAEPL	Lateral/Adductor Extension Plate – Left	\$28		
ZLAEPR	Lateral/Adductor Extension Plate – Right	\$28		
Lateral Thorac	ic Support Left Right			
Leg Adductor	Left Right			
Hip Adductor	Left Right			
Total Quantity				
Medial Thig	n Supports (Pommel)			
ZMTSAS1	Medial Thigh Support w/ Small Pads	\$595		
ZMTSAS2	Medial Thigh Support w/ Large Pads			

14. Pelvic and Chest Belts – A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

Pelvic Belts						Chest Belts					
ZPBS	Pelvic Belt - 2-piece w/	•	rame widths 14 ase buckle)	-16",	\$50	ZCBS		Belt ² – Small (bac ce w/ hook and lo		,	\$45
ZPBM			n (frame widths -release buckle)		\$50	ZCBM		Belt ² – Medium (-piece w/ hook a			\$45
ZPBL	Pelvic Belt - 2-piece w/	• •	rame widths 18 ase buckle)	"-22",	\$50	ZCBL		Belt ² – Large (ba ce w/ hook and lo			\$45
ZPBXL		•	(seat frame wid side-release bud		\$65	ZCBXL	Chest	Belt – XLarge ² (b 24", 1-piece w/ h	ack frame v	vidths	\$55
ZPBICS	Pelvic Belt ¹ – Infection Control, Small		П	\$75		closure)			uloop		
	(frame wid w/ side-rele					ZCBICS		Belt ^{1,2} – Infectior ce w/ side-release			\$75
ZPBICM	Pelvic Belt ¹ – Infection Control, Media		lium	\$75		widths 14-16")					
	w/ side-rele	(frame widths 16"-18", 2-piece w/ side-release buckle)				ZCBICM	Chest Belt ^{1,2} – Infection Control, Medium 1-piece w/ side-release buckle		uckle	\$75	
ZPBICL	Pelvic Belt ¹ – Infection Control, Large (frame widths 18"-22", 2-piece w/ side-release buckle)		e ș	\$85		•	widths 16"-18")				
					ZCBICL	Chest Belt ^{1,2} – Infection Control, Larg 1-piece w/ side-release buckle (back widths 18"-22")		0	\$85		
ZPBICXL	Pelvic Belt ¹ – Infection Control, XLarge (seat frame widths 22"-24", 2-piece		ge	\$95	70010//		•			ćor	
	(seat frame w/ side-rele		· ·			ZCBICXL	1-pied	Belt ^{1,2} – Infection ce w/ side-release	e buckle (ba		\$95
ZPBBPM	Pelvic Belt -	– Bodypo	int Aeromesh, N	Лed	\$215	2000014		e widths 22"/ 24")			4045
ZPBBPL	Pelvic Belt -	– Bodypo	int Aeromesh, L	arge	\$215	ZCBBPM		Belt – Bodypoint			\$215
ZPBBPXL	Pelvic Belt -	– Bodypo	int Aeromesh, X	(Large	\$175	ZCBBPL		Belt – Bodypoint		-	\$215
						ZCBBPXL		Belt – Bodypoint	-	•	\$195
Recommended sizes for	Pelvic belt	ZPBBPS	N/A	ZPBBPN	-	W e frame	ZPBBPL	18"/20"W base frame	ZPBBPXL	22"/24" base frai	
Bodypoint belts	Chest belt	ZCBBPS	14" back frame	ZCBBPN	-	W k frame	ZCBBPL	18"/20"W back frame	ZCBBPXL	22"/24" back frai	

² Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCBM / ZCBL / ZCBXL). When the chair is supplied with a Harmony

or Symphony Back, Chest Belt loops are provided.

15. Urine Management

	<u> </u>			
ZIHW	Whizard – winged urine deflector – Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.	\$67		
ZSS	SplaShield – Molded urine deflector (must be held in place during use)	\$125		
ZSC17	Splash Curtain ¹ for 17"D Bridged Front Seats, Molded and VFI (surrounds entire aperture, raises seat 1/2").	\$325		
ZSC20	Splash Curtain ¹ for 20"D Bridged Front Seats, Molded and VFI (surrounds entire aperture, raises seat 1/2").	\$345		
ZSCFR	Splash Curtain for 17" / 20"D (at front of aperture only, not for Front Open Seats)	\$345		
ZSCC	Custom Splash Curtain for Custom Seats – Raises seat 1/2"	\$345		
ZSCSI	Slide-In Splash Curtain – Vinyl curtain, slides into commode pan brackets	\$345		
ZBUDBH	Bard urine drainage bag holder (available for all frame widths)	\$155		
¹ Bridged Front Seats only. For Left, Right, Front, and Rear Open, call for pricing.				

16. Other

ZPSK1	Commode Pan Spacer Kit ¹ – 1" lower	\$200		
ZPSK2	Commode Pan Spacer Kit ¹ – 2" lower	\$215		
ZPSK3	Commode Pan Spacer Kit ¹ – 3" lower	\$230		
ZPSK4	Commode Pan Spacer Kit ¹ – 4" lower	\$245		
¹ Commode F	¹ Commode Pan Spacer Kits provide extra clearance for self-care with pan in place. Increases height required to clear toilet.			

17. Credits and Omissions

Z905	Omit Commode Pan and	-\$20	Z907	Omit Foot Supports - if no other Foot /	-\$45
	Mounting Brackets			Leg Support Option is selected	

Some assembly of Raz products is required.

18. Notes:

Specifications

Raz-SP (Self Propel)

	22" wheels	24" wheels		
Weight Capacity	407 lbs			
Overall Width (with Standard Arm Support Pads)	Seat width	plus 7.75"		
Overall Length (foot supports in middle position)	41"	42"		
Seat Depth	16" or 21" depending of	on seat/cushion length		
Clearance Height (under seat) - with pan brackets - without pan brackets	15.25" / 16.25" / 17.25 / 19.25" 16" / 17" / 18" / 20"	15.25" / 16.25" / 17.25 / 18.25" 16" / 17" / 18" / 19"		
Clearance Width (to fit around toilet) – 18"W frame	16"			
Arm Support Height - above molded seat (1/2" incre	ements)			
 - 18"H Fixed Back - standard - 15"H Adjusta-Back - 17"H Adjusta-Back - 20"H Adjusta-Back - 24"H Adjusta-Back - 20"H Reclining Adjusta-Back - 24"H Reclining Adjusta-Back 	8. 5.5"- 6.5"- 7.5"- 7.5"- 7.5"- 7.5"-	-8.5" -9.5" 10.5" 10.5" 10.5"		
Seat-to-Floor Height (with molded seat)	20" / 21" / 22" / 24"	20" / 21" / 22" / 23"		
Product Weight (with 18"W seat)	47 lbs	49 lbs		
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)			