Effective Jan 1, 2022 (New Items in Red)

FOLDING FRAME


PRO	VIDER INFORM	ATION			RTS INFORMAT	ION			
PROV	/IDER:		Account #:		RTS:		Phone:		
PO:			Ordered By:		Email:				
Email	l:		•		SHIP TO INFOR	RMATION			
Mark	For:		User Weight:		Name:		Ship Via:		
TiLite	Sales Rep:				Address:				
TiLite	e Information:		Promo Code:		City:		State:	Zip:	
Ship I	Date:		Order #:		Phone:		Fax:		
Mor	re options and fra	me modifications may	/ be available throu	gh our Creative Mobility	Division! Please co	ontact customer service	or details or click he	ere to view	options.
	Please	Email or Fax to the	Permobil Manua	al Customer Service Te	eam at tilitesale	es@permobil.com or 8	300 736 0925, opt	ion 2	•
						•	· •		
3	FRAME STY		<b>5</b> (5 # 4	"				<b>#0400</b>	KOOOE
)	AXFS1 G2FS1		·	djustability. 265 Pound We Full Adjustability. 265 Pou	-			\$2486	K0005
	02. 0.			ansit Tie-Down.)				\$1950	
	XFS1	☐ Swing Away						STD	K0005
	XFS3			h a Front Seat Height of 13 eavy Duty Frame.)				NCO	
	XFS2	☐ Fixed Front	· · · · · · · · · · · · · · · · · · ·	ary buty riamo.				NCO	K0005
	XHDR1			leight Limit. Includes Tens				<b>A</b> 450	
	XPWR1			ths. Not Available with 90° arge when 20" Rear Seat V				\$453	
	7.1 7.1.1	•	•	ee Camber. Not available		•		\$354	
	XRFR1	□ Reinforced Fra	me (No charge who	en 20" Rear Seat Width an	nd 20" Seat Depth o	or Heavy Duty is selected.	)	\$354	
CMAI	PTDBIVE BOV	WER ASSIST SYS	573M						
	XMAXSD1			vitchControl comes standa	rd. Not available wi	ith rear seat heights less ti	nan 13.5".)	\$7417	E0986
	XMAXSD6			IAXSD7 □ PushTracke					
	XMAXSD8			Jack Option					
	XMAXSD4								
	ZMAXSD5			atch) starting February				,,\$∠1	
		·· <u>·</u>	alcri OS (Apple W	alcri) starting rebruary	10, 2022.				
IRA	NSIT OPTION XTTDO1		e Transit Tie-Dow	n (Consists of four Tie-Do	wn Brackets Not A	vailable with 2GY2 Heavy	Duty Frame Hemi		
	XIIDOI	Height Frame, Swing	Away Tubular Armre	ests or Swing Away- Flip B	ack Tubular Armre	sts. Requires a Folding St	abilizer Bar unless a		
				equires minimum seat dep ding the Transit Tie-Down (				\$349	
	\(\alpha\)								
	XWTB			s of four Tie-Down Brackets . Not available with Swing i				i.	
				15" seat Depth with Hemi					
FRA	ME FINISHES	3							
	Natural Finish								
	XFF1 XSCBT1	☐ Satin (Available v	vith Titanium Frame	only.)				STD \$21	
	XFF3	☐ Tattoos (Tattoos	on front frame tubes	s. Titanium frame finished	in Satin . Aluminun	n frame tattooed in blaste	d aluminum with clea	ar	
	VEE45 D No.		rimmed and adjusted	d to fit your frame.)				\$349	
	XFF45 🗆 Nee	ea For Speea			XFF44 ☐ Flow	wer Garden			
	3000000	~~~ (X)	NA MARAMAN		~~~~~	######################################			
	XFF43 □ Mos	XFF43 □ Mosaic							
				No.					
	<b>4610)</b>	m. (C4) (24 (26)	7 <b>5-4-4114</b>						
	High Gloss P		gh Gloss Black	☐ XFF10 TiLite	Red	☐ XFF29 Neon Pir	ık		
	Metallic Pain		Ocean Blue Metall	•		☐ XFF30 Acid Gre	en Metallic		
	Pearlescent I		Midnight Blue Pea						
	Matte Paint Candy Paint	☐ XFF19 E ☐ XFF22 F		☐ XFF27 Titani ☐ XFF23 Azure	•	☐ XFF25 Electric F	Plum		
	•	ed Paint   XFF40 F	•	☐ XFF41 Flame		☐ XFF42 OD Gree		STD	




Page 1 of 7

	EASUR	

SEAT WIDTH	A Measu	ire from	outside o	f seat tub	e at back	post to tl	he outside	e of the opp	posite seat tube at back post.		
XSW1	□ 12"	□ 13"	□ 14"	□ 15"	<b>□</b> 16"	□ 17"	□ 18"	<b>□</b> 19"		STD	
XSW2	<b>2</b> 0"	<b>□</b> 21"	<b>2</b> 2" (	21" and 22	" Seat Wid	Iths A are o	only availat	le with Heav	ry Duty Frame.)	<u></u> \$515	E220





SEAT DEPTH	B Measure from 1/2" in front of back post to the front edge of seat sling. (12"-14" Seat Depths B not available with 25" (558 and 26" (560) Rear Wheels.)	9)	
XSD1	□ 12" □ 13" □ 14" □ 15" □ 16" □ 17" □ 18" □ 19"	STD	
XSD2	<b>□</b> 20"	\$546	E2203
XSD3	□ CustomFrame Depth:" Frame Depth Longer Than Seat Depth (Use 1" increments with a maximum of 2". A		
	Custom Frame Depth with a maximum of 20" is \$546.)	NCO	

FRONT SEAT HEIGHT C Measure from floor to top of seat tube at front edge of seat sling. Adjustable in 1/2" increments. (13.5" - 14" Front Seat Height C requires Hemi Height Frame Style. 20.5" - 21.5" Front Seat Height C not available with Hemi Height Frame Style.)

# FRONT SEAT HEIGHT RANGES

Front Wheel Size	Front Seat Height C	Hemi Front Seat Height C
3" Front Wheel	14.5" – 18.5"	13.5" – 17.5"
3" Front Wheel w/ Glide™	16.5" – 17.5"	15.0" — 17.0"
4" Front Wheel	15.5" — 19.0"	14.5" — 18.0"
4" Front Wheel w/ Glide™	17.0" — 18.0"	15.5" — 17.0"
5" Front Wheel	16.5" – 19.5"	16.0" - 18.5"
5" Front Wheel w/ Glide™	17.5" – 18.5"	16.5" - 18.0"
6" Front Wheel	17.5" – 20.0"	16.5" — 19.0"
6" Front Wheel w/ Glide™	19.0"	17.5" – 18.0"
8" Front Wheel	19.5" – 21.0"	18.5" — 19.5"

XFSH1 □ 13.5" □ 14" □ 14.5" □ 15" □ 15.5" □ 16.5" □ 16.5" □ 17.0" □ 16.5" □ 16.5" □ 17.0" □ 17.5" □ 18.0" □ 18.5" □ 19.0" □ 19.5" □ 20.0" □ 20.5" □ 21.0" **NCO** 

REAR SEAT HEIGHT D Measure from floor to top of seat tube at back post. Adjustable in 3/8" increments.

el Size   Rear Seat Height	
13.0" – 18.0"	
14.0" — 19.0"	
14.0" — 19.0"	
15.0" – 20.0"	
·	
	Size   Rear Seat Height

XRSH1 □ 13" □ 13.5" □ 14" □ 14.5" □ 15" □ 15.5" □ 16" □ 16.5" □ 17" □ 17.5" □ 18" □ 18.5" □ 19" □ 19.5" □ 20"\_\_\_\_\_\_NCO

### **BACK SUPPORTS**

ROHO <sup>®</sup> AGIL	TY <sup>®</sup> Standard Minimum Contour Back Support (Comes standard with quick release hardware.	)	
Shell Height BRS5	□ 10" □ 13" □ 16" □ 18" □ Foam	\$498	E2611
BRS6	□ Foam + Lumbar		E2613
BRS7	□ Foam w/ Air Insert	\$695	E2620
BRS8	☐ Foam w/ Air Insert + Lumbar		E2615
ROHO® AGIL	TY <sup>®</sup> Standard Mid Contour Back Support (Comes standard with quick release hardware.)		

	ITY <sup>®</sup> Standard Mid Contour Back Support (Comes standard with quick release hardware.) □ 10" □ 13" □ 16" □ 18"		
BRS9	☐ Foam w/ Air Insert	\$707	E2620
BRS10	□ Foam w/ Air Insert + Lumbar	\$707	E2615

Effective Jan 1, 2022 (New Items in Red)

Page 3 of 7

	10" 🗆 12" 🗆 14" 🗆 16					
SBRS16 CPSB1						
	ACTA-RELIEF Back Supp					
<b>Shell Heigh</b> t SBRS13	10"					<b>6700</b>
CPSB1						
SEAT BACK		USH HANDLES M	leasure from top o	back post to top	of seat tube at rear of frame.	
XSB13	Fixed Angle, Adjustat	le-Height Seat Bac	:k			STD
XLB1					ble Backrest is selected. Includes Tension	
VCD44						
XSB14 XSB18					n Heavy Duty Frame.) Frame or Ride Designs® Corbac™.)	
XSB16					me, 19" or 20" Seat Depths B, Swing Away	<b>Ψ</b> 240
NOD TO	Tubular or Swing Away Flip-Ba	ck Armrest. Seat Depth	s B of 12"-17" allow 3" o	rearward adjustmen	t. Seat Depth B of 18" allow 2" of rearward	NCO
PUSH HAND		rajaotable Coat Opinolo	,			
XSB6	☐ Integrated Push Hand	les				NCO
XSB7	Integrated Fold-Down	Push Handles (Re	quires Tension Adjus	able by Straps Bac	k Upholstery. Not available with Heavy	
XSB9	Bolt-On Height Adjust	able Push Handles	(Requires Tension )	djustable by Straps	Back Upholstery. Not available with Hea	
	Duty Frame, Folding Adjusta Armrests.)	able-Angle and Heigh	t Seat Back, Swing A	vay Tubular Armres	ts or Swing Away - Flip Back Tubular	\$349
XSB20/XSB					Height not available with Heavy Duty	
	Frame, Swing Away Tubular  Push Handles	Arms 12"-15", Bolt-C	n Height Adjustable F	ush Handles or Fol	ding Stabilizer Bar.)	
	(Selected on Pg. 2)	Short	Tall	Set at: (Use 1	Increments)	
	None	<b>1</b> 1.0"- 15.0"	<b>□</b> 16"- 20"	Set at:	<u> </u>	
	Integrated	□ 11.0"- 15.0"	□ 16"- 20"	Set at:		
	Integrated Fold-Down	<b>1</b> 1.0"- 15.0"	□ 16"- 20"	Set at:		
	Bolt-On Height Adj.		□ 16"- 20"	Set at:		
XSB18		E- ANGLE AND H	EIGHT SEAT BAC	<b>≮</b> E (Not available with	a Folding Stabilizer Bar or Heavy Duty Frame)	
	Push Handles (Selected on Pg. 2)	Short	Medium	Tall	Set at: (Use 1" Increments)	
	None	☐ 11.0" – 13.0"			Set at:	
	Integrated	□ 12.5" – 14.5"			Set at:	
	Integrated Fold-Down		☐ 16.0" — 19.0"		Set at:	
E MEASUI	REMENTS					
CAMBER F						
XCBR8	□ 0° □ 2° □ 4° □	l 6°				STD
FRONT ANG Swing Away	SLE H Front Angle H is mea	sured from inside of	of front frame tube	o top of bottom fi	ame tube.	
XFA3		Not available with 6"	Front Wheels )	Ω° (Requires alum	num footplate. Not available with Heavy	
XFA0	☐ Omit Hangers					NCO
Fixed Front						
XFA6	□ 70° □ 80° □ 85° <i>(85</i> °	Not available with 6"	Front Wheels)			STD
SEAT TO FO	OOTREST   Measure from f	•	•		n and one Footrest type:	
	Standard Footrests Me	asurement must be			Height C. 70° Fixed Front has a	
	minimum seat to footrest		□ 16 F" □ 17"	□ 17 5" □ 10"		9
	□ 1/1" □ 1/1 E" □ 1/E"	1 15 5"   1 12"				
YETR5	☐ 14" ☐ 14.5" ☐ 15"					
	☐ Flip-up Footrest					STD
XFTR5 XFTR9 XFTR10	<ul><li>☐ Flip-up Footrest</li><li>☐ Depth Adjustable Flip-</li></ul>	up Footrest				STD \$115

-	Footrests (Not Available with Luggage Carriers, or Impact Guards.)		
XFTR20	□ High Mount Flip-up	\$198	K0037
XFTR15 XFTR16	□ Angle Adjustable High MountFlip-up Footrest □ Depth & Angle Adjustable High Mount Flip-up Footrest	\$338 \$390	K0040, K0037 K0040, K0037
Elevating Le			
	□ 16" □ 17" □ 18" □ 19" □ 20" □ 21" le Depth Adjustable Flip-up Footrest - □ Left OR □ Right	\$177	E0990
XFTR17 D	epth Adjustable Flip-up Footrest - Pair	\$349	L0330
7			
VETD-	If your Front Angle H is 90°, select one Seat to Footrest Hength and one Footrest type: ☐ 7" ☐ 8" ☐ 9" ☐ 10" ☐ 11" ☐ 12" ☐ 13"		
XFTR5 XFTR9	□ Flip-up Footrest	STD	K0037
XFTR10	□ Depth Adjustable Flip-up Footrest □ Depth & Angle Adjustable Flip-up Footrest		K0040, K0037
XHLP1	☐ Heel Loops (Not available with 13" or narrower Seat Width A or 1-Piece Footrests.)		E0951
XFW24	ELS (See Front Seat Height Ranges Chart on Page 2 for Front Seat Height C limitations.)  □ 3"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub OR □ Black Hub	\$10 <b>2</b>	
XFW14	□ 4"x.75" Plastic Wheel w/Poly Tire (Not available with Power Adaptable Frame or Heavy Duty Frame)		
XFW3	□ 4"x.75" Light-Up Micro-Caster (Not available with Power Adaptable Frame or Heavy Duty Frame.)		
XFW26	□ 4"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.)		
XFW27	□ 4"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub OR □ Black Hub		
XFW6	□ 5"x1" Plastic Wheel w/Poly Tire (Not available with Power Adaptable Frame, Heavy Duty Frame or with 90° Front Angle H.)	NCO	
XFW28	□ 5"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with Power Adaptable Frame, Heavy Duty Frame or 90° Front Angle H.)	\$99	
XFW30	□ 5"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub OR □ Black Hub (Not available with 90°		
	Front Angle H.)	\$224	
XFW9	🚨 6"x1" Plastic Wheel w/Poly Tire (Not available with Power Adaptable Frame, Heavy Duty Frame or 85° or 90° Front Angle н.)	NCO	
XFW32	□ 6"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with Power Adaptable Frame, Heavy Duty Frame, 85° or 90° Front Angle H.)	<u></u> \$104	
XFW33	□ 6"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire □ Silver Hub <b>OR</b> □ Black Hub (Not available with 85° or		
	90° Front Angle H.)		
XFW16	□ 8"x1" Plastic Wheel w/Poly Tire (Not available with Power Assist, Power Add-on, Heavy Duty Frame or 12"-14" Seat Depths. Available with 70° Front Angle H only.)		
	Available with 10° 11011t Angle is only.)	NCO	
FRONT FOR			
XFK1 XGL1	<ul> <li>□ TiLite Standard Fork</li> <li>□ Out-Front Glide™ Suspension Fork (Available in Black anodize only. Not available with 8" Front Wheels or Heavy Duty Frame)</li> </ul>		E1015
AGLI	Rider's Weight: 125 lbs. 125-180 lbs. 140-265 lbs.	<b>\$303</b>	EIUIS
ONE ARM DE	RIVE		
XOAD1	☐ One Arm Drive (Available with 24" Mag Wheels only. Rear Seat Height, Camber or axle restrictions may apply.)	\$1248	E0958
	Drive Handrim Side (Available with standard aluminum handrim only.) ☐ Install on Left ☐ Install on Right		
STANDARD	REAR WHEELS (See Rear Seat Height Ranges Chart on Page 2 for Rear Seat Height D limitations.)		
XRW14	TiLite SHADOW™	STD	
	<u>22"(501)</u>		
	□ 24"(540) □ 35"(550) (Paradica 45" minimum Sept Banth B.)		
	□ 25"(559) (Requires 15" minimum Seat Depth B.) □ 26"(590) (Requires 15" minimum Seat Depth B.)		
YERFORMAN XRW7	NCE REAR WHEELS (See Rear Seat Height Ranges Chart on Page 2 for Rear Seat Height D limitations.) Spinergy® SPOX □ Black □ Red □ Blue □ White	\$879	
MIXAA L	□ 22"(501) - Std. Hub	Ψ013	
	□ 24"(540) - Std. Hub		
	□ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth B.)		
	□ 26"(590) - Std. Hub (Requires 15" minimum Seat Depth B.)		
XRW8	Spinergy® LX (Available with Heavy Duty Frame only when 0 or 2 degree camber is selected.)	A44	
	□ Black □ Red □ Blue □ White □ Bright Orange □ Flamingo Pink □ Purple	\$1103	
	□ 22"(501) - Std. Hub □ 24"(540) - Std. Hub		
	□ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth B.)		
	□ 26"(590) - Std. Hub (Requires 15" minimum Seat Depth B.)		

ZRW9	New Spinergy Design Lab LX Wheels (If same color is selected, anodized hubs and rims match color anodized package on pa	ge 1.	
	Available with black spokes only.) □ Gold Anodize □ Green Anodize □ Blue Anodize □ Red Anodize □ Purple Anodize □ Orange Anodize	¢1211	
	☐ 22"(501) - Std. Hub	, \$1311	
	□ 24"(540) - Std. Hub		
	□ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth B.)		
	□ 26"(590) - Std. Hub (Requires 15" minimum Seat Depth B.)		
	(====)		
XRW16	New Spinergy® Carbon Blade with 3k Weave Carbon Fiber (Not available with Heavy Duty Frame.)	\$1540	
	□ 24"(540)		
	□ 25"(559) (Requires 15" minimum Seat Depth B.)		
XRW17	X-Core Mag (Not available with Heavy Duty Frame, Short Tabs, Quad Release Axles, Spoke Guards or Omit Handrims Option. Requires		
	Aluminum Sliver Anodized Handrims.)	NCO	
	□ 22"(501) □ 24"(540)		
AXLES	27 (070)		
XAXL1	☐ Stainless Quick Release	STD	
XAXL2	□ Titanium Quick Release	\$266	
XAXL3	☐ Quad Release (Not available with Mag or 26"(590) Spinergy Spox or Spinergy LX Rear Wheels.)	\$162	
PNEUMATIC	DEAD TIDES		
XRTR1	□ Treaded 22"(501), 24"(540), and 26"(590) (Not available with 25"(559) Rear Wheels.)	STD	
XRTR2	□ Airless Inserts		E2213
XRTR31	□ New MBL SpeedLite 20"(451), 22"(501), 24"(540), 25"(559) and 26"(590)	STD	
XRTR30	□ 24"(540), 25"(559) and 26"(590) Primo Sentinel	\$130	
XRTR8	□ 24"(540), 25"(559) and 26"(590) Schwalbe® Marathon Plus Evolution	\$146	
XRTR24	☐ 24"(540) Kenda Kobra Knobby	\$99	
SOLID REAR	TIDES		
XRTR22	□ 22"(501), 24"(540) and 25"(559) Primo Express (Not available with Spinergy Carbon Blade Rear Wheels.)	\$115	
XRTR23	□ 24"(540) and 25"(559) Primo Active		
	( ) ( )	'	
HANDRIMS			
XRIM1	□ Aluminum – Silver Anodized		
XRIM21 XRIM12	□ Aluminum – Black Anodized □ Titanium – Satin Finish (Not available with 20"(451) or 22"(501) Rear Wheels, or 24"(540) Knobby tires.)		
XIXIIVITZ	Thanlan – Salin i inish (Not available with 20 (431) of 22 (301) Neal Wifeels, of 24 (340) Nilobby tires.)	ψ <del>-</del> 103	
Handrims by	OUT-FRONT®		
XRIM10	☐ The Surge (All-In-One Oval with Gription <sup>™</sup> Strip, Larger Profile)	\$416	
XRIM11	☐ The Surge LT (All-In-One Oval with Gription <sup>™</sup> Strip, Smaller Profile)	\$448	
XRIM20	□ Q-Grip (Exclusive High-Friction, Anti-Slip Coating)	\$344	
TRIM14	Fite (Original, Larger Profile) (Not available with 20"(451) Rear Wheels.)	¢444	
TRIM15	□ Standard Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.) □ Super Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)		
TRIM16	□ Without Thumb Grip		
_	Fite LT (Reduced Weight, Smaller Profile) (Not available with 20"(451) Rear Wheels.)		
TRIM17	☐ Standard Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	\$432	
TRIM18	☐ Super Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)		
TRIM19	□ Without Thumb Grip	\$406	
Additional Ha	andrim Options		
XRIM5	□ Plastic Coated – Black	\$167	
XRIM22	☐ Omit Handrims	NCO	
Tab Length	D.L Take	OTD	
XRIM7 XRIM8	□ Long Tabs □ Short Tabs (Not available with Mag Rear Wheels or The Natural-Fit® Handrims with Thumb Grip.)	\$1D	
XIXIIVIO	3 Short Tabs (Not available with way Near Wheels of The Natural-Fit Transmitts with Thurib Grip.)	Ψ <b>2</b> 0	
WHEEL LOC			
	by OUT-FRONT® (Composite wheel locks not always compatible with 12"-13" Seat Depth. Uni-locks will be substituted at no compatible with 12"-13".		
XWLK7	□ Compact Composite Push to Lock	NCO	
XWLK8 XWLK10	□ Compact Composite Pull to Lock □ Extension Handles for Compact Composite Push/Pull to Lock	NCO \$20	E0961
Additional W		_ <b>ФОЭ</b>	E0301
XWLK11	☐ New MBL Composite Scissor Lock (Not available on Aero X2 Swing Away.)	\$151	
XWLK3	Uni-Lock Set At: ☐ Push OR ☐ Pull		
XWLK4	□ Extension Handles for Uni-Lock		E0961
XWLK15	☐ Grade Aids Push to Lock (Not available with solid rear tires)		E0974

BACK UPH	OLSTERY (Want more seating options? Click here to view the new TiLite Seating Order Form.)		
XBUP1	☐ Padded Nylon (Black Only. Not available with Heavy Duty Frame, Folding Back, Folding Stabilizer Bar, Depth Adjustable		
	Frame, Fold-Down Push Handles or Ultrasuede Backrest Stripe.).	STD	
Tension Adj	ustable by Straps (Included with Heavy Duty Frame. Required with Aluminum Fendered Side Guards and Fold-Down Push Handles.	)	
XBUP3	□ Padded Nylon	\$354	E2611
XBUP5	☐ AIR Breathable Upholstery (Not available with Ultrasuede Backrest Stripe.)	\$354	E2611
XUPC3	Ultrasuede Backrest Stripe 🚨 Black (Not available with Padded Nylon or AIR Breathable Back Upholstery.)	\$110	
XBUP0	□ Omit Back Upholstery	NCO	
SEAT UPHO			
XSUP4	☐ Tension Adjustable (Black only)		
XSUP0	□ Omit Seat Upholstery	NCO	
SEAT CUS	HION (Want more seating options? Click here to view the new TiLite Seating Order		
	12 □ Comfort Curve Cushion (Stretch-Air cover)	\$105	E2601
ZCSH23	□ Comfort Acta-Embrace™ Comfort-Tek Zero Elevation Cushion	\$202	E2607
XCSH15	□ ROHO® Hybrid Elite SR™ Single Compartment Cushion (Fits seat widths 14" to 19")	\$502 \$523	E2622
XCSH14	□ ROHO® QUADTRO SELECT® Cushion (Fits seat widths 14" to 19") Profile: □ Low □ Mid □ High		E2624
XCSH16	□ ROHO® Hybrid Select Cushion (Fits seat widths 14" to 18", and 20")	\$541	E262
XCSH17	☐ Vicair Active O2 Low (Fits even seat widths A 14" to 20". Non-stock upcharges may apply)	\$516	E2624
iou oouelo			
OM CONFIG	URATION OPTIONS		
CIDE CUAD	one.		
SIDE GUAR Aluminum	KUS		
XSDG2	□ Rigid Removable □ Small <b>OR</b> □ Std	\$208	
XSDG3	☐ Quad Removable w/Hole ☐ Small OR ☐ Std	\$224	
XSDG6	☐ Fendered Adjustable (Requires Tension Adjustable by Straps Back Upholstery. Not available with Angle-Adjustable Fold-Down		
AODOO	Seat Backs.)		
	551 - 251 - 57	40 .0	
New 3k Wea	ave Carbon Fiber		
XSDG7	□ Rigid Removable □ Small <b>OR</b> □ Std	\$323	
XSDG8	□ Quad Removable w/Hole □ Small <b>OR</b> □ Std	\$333	
XSDG11	☐ Fendered Adjustable (Requires Tension Adjustable by Straps Back Upholstery. Not available with Angle-Adjustable Fold-Down Seat Backs.)		
XARM1	Swing Away Tubular (Not available with Heavy Duty Frame, Folding Stabilizer Bar with Short or Medium Seat Back Height range or Depth Adjustable Back.)		E0973
XARM4	☐ Swing Away - Flip Back Tubular (Not available with Heavy Duty Frame, Folding Stabilizer Bar or Depth Adjustable Back.)	\$328	E0973
XARM2	Removable Height Adjustable DeskArm with Rigid Side Guard (Requires 14" minimum Seat Depth B.)  □ 9" to 12" OR □ 12" to 15"	\$349	E0973
	☐ Standard Length Pad (10") OR ☐ Full Length Pad (14")		
XARM3	Removable Height Adjustable Desk Arm with Rigid Side Guard and Transfer Loop (Requires 16" minimum Seat Depth	3. <u>)</u> <b>\$390</b>	E097
	□ 9" to 12" <b>OR</b> □ 12" to 15"		
	☐ Standard Length Pad (10") <b>OR</b> ☐ Full Length Pad (14")		
	Available Armroot Option		
XARM5	Available Armrest Option  ☐ Covered in Black Ultrasuede (Not available with Desk Arms)	¢115	
AAINIO	Covered in Diack Official development of the Covered in Diack Official	ψιισ	
SEAT BELT	rs		
XBLT1	☐ Velcro Adjustable, Black Nylon Webbing	\$58	E097
XBLT2	☐ Bodypoint® 2" Push-Button Buckle (Auto-Style.)	\$99	E097
XBLT4	☐ Bodypoint®1" Wide Push-Button Buckle Padded (Auto-Style.) (Not available with 19" - 22" Rear Seat Widths A.)		E097
XBLT5	☐ Bodypoint® 1.5" Wide Push-Button Buckle Padded (Auto-Style.) (Not available with 19" - 22" Rear Seat Widths A.)		E097
XBLT8	☐ Q'Straint® WC-19 Wheelchair-Anchored Pelvic Belt (Recommended for use with Transit Tie Down.)		E097
XBL10	☐ Bodypoint®Optional Band Clamp Mounting Hardware		K010
XBLT16	☐ Bodypoint®EvoFlex®Pelvic Stabilizer Push Button	\$193	E097
CALF STRA			
XCLF2	Velcro Adjustable	\$42	K003
	☐ Small (Recommended for 9"- 12" Footrest Widths)		
	☐ Medium (Recommended for 11"- 15" Footrest Widths)		
	☐ Large (Recommended for 14"- 17" Footrest Widths)		
XCLF3	☐ Xtra Large (Recommended for 16"- 19" Footrest Widths)	\$104	K003
AULITS	Bodypoint® Padded Velcro Adjustable	ψ104	KUUS
	☐ Large (Recommended for 16"- 20" Footrest Widths)		
XCLF1	☐ Buckle Adjustable, Black Nylon Webbing	\$32	K003

## TiLite Aero X Order Form

Effective Jan 1, 2022 (New Items in Red) FOLDING FRAME Page 7 of 7 **RESIDUAL LIMB SUPPORT** XRSL1 □ Residual Limb Support (8" width x 10" length) \$411 E1020 □ Residual Limb Support Pair (8" width x 10" length) \$822 XRSL2 E1020 **BACKPACK** XBCK3 ☐ Permobil Medical Necessities Backpack \$99 **SEAT POUCH** XPCH3 ☐ Permobil Medical Necessities Seat Pouch \$63 XPCH4 □ Bodypoint® Mobility Bag \$104 **SPOKE GUARDS** XGRD1 ☐ Clear with TiMotion Logo (Not available with Mag Rear Wheels.). K0065 **CUSTOM CONFIGURATION OPTIONS ANTI-TIPS** XTIP1 E0971 XTIP2 E0971 XTIP9 F0971 **ACCESSORIES** Upper Extremity Support Tray ☐ 12" to 14" OR ☐ 13" to 15" Seat Widths A (Requires Armrests.) \$302 XUEST1 E0950 XLUG1 ☐ Luggage Carriers (Not available with High Mount Swing Away Footrests or 1-Piece Flip-up Footrest.). \$151 XMPCT2 Neoprene Impact Guards with Ultrasuede Stripe (Not available with High Mount Footrests, 90° Hangers or Elevating Leg Rest.) □ Black\_\_\_\_\_\_\_\$110 
 □ Crutch Holder
 \$234

 4" Logo Patch
 □ Army
 □ Navy
 □ Air Force
 □ Marines
 \$110
 XCH<sub>1</sub> XAFP1

#### **GENERAL**

More options and frame modifications may be available through our Creative Mobility Division! Please contact customer service for details or click here to view options.

Permobil manufactures TiLite manual wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. HCPCS Codes are for reference purposes only. Actual coding and coverage varies by payer. Proper HCPCS coding is not a guarantee of payment. Please verify the appropriate payer's coverage policy.

Get the latest order forms at permobilus.com. Prices, standard features, options and accessories are subject to change without notice. All rights reserved. Trademarks are identified by symbols™ and ®. TiLite, TiFit, the TiLite logo, Ti, the Ti logo, and TiShaft are registered trademarks of TiSport, LLC and are licensed to Permobil. Permobil® is a registered trademark of Permobil. Adobe®, Acrobat®, Acrobat® and Reader® are registered trademarks of Adobe Systems Inc. Bodypoint® is a registered trademark of Kenda Rubber Industrial Co. Ltd. ROHO®, AGILITY®, Low Profile® and Quadtro Select® are registered trademarks of ROHO Inc. Schwalbe® is a registered trademark of Ralf Bohle GmbH. The Natural-Fit® and Out-Front® are registered trademarks of Three Rivers Holdings, LLC. The ACTA-BACK®, ACTA-BMBACE™, COMPORT-TEK™, COMPASS®, CURVE®, ELEMENTS®, and STRETCH AIR™ are registered trademarks of THE COMPORT COMPANY® and are licensed to Permobil. Q'Straint® is a registered trademark of Q'Straint Inc.

**QUOTE THIS CHAIR** 

If you are using Adobe Acrobat, this order form may be converted into a quote request or into an order by clicking one of the buttons (this feature is available exclusively to Permobil dealers and distributors). A Quote or an Order Confirmation will be sent to you within 24 hours.

**ORDER THIS CHAIR**