

Raz-SP600

RazBari Self Propel

MSRP	– US	D -	- USA
Effective	May	1,	2025

DOC#: RSD058r03 Rev. Date: 2023-08-25

Date:___

Dealer / Location:		T:	F:	
PO# / Client:	Contact:	Email:		

Raz-SP600 Heavy Duty Mobile Shower Commode Chair with stainless steel frame, Fixed Back, fore / aft-adjustable 24" rear wheels, flip-up arm supports, heavy duty foot supports, front dual-locking 5" casters and commode pan. Also included is a 20"H Multi-Position Back with 2" fore/aft adjustment range, two back angles (90°/97°) and tension-adjustable vinyl upholstery. Exclusive to Raz, IPAS helps reduce the possibility of pressure injury at key pressure points by providing up to 2" of fore/aft seat adjustment. User weight capacity 605 lbs. User weight over 450 lbs. requires 6" casters (ZCUSP6). For help with justification, please see our Evaluation and Medical Justification Form.

Need help with this order form? Call Raz customer service at (877) 720-5678

1. Raz-SP600 codes by size – Must Choose One

Chair Code	Seat Frame Width	MSRP
Z26022	22"W Frame	\$3,495
Z26024	24"W Frame	\$3,795
Z26026	26"W Frame	\$4,195
Z26028	28"W Frame	\$4,395
Z26030	30"W Frame – Requires custom seat	\$4,995

2. Seats - Must Choose One

Molded and Vis	Molded and Visco Foam Interface Seats								
ZMS23FRO	Molded 23"W x 18"D – Front Access	Fits 22" and 24"W ¹ frames only	N/C						
ZMS26FRO	Molded 26"W x 18"D – Front Access	Fits 26" and 28"W ¹ frames only	N/C						
ZVFI23FRO	Visco Foam Interface 23"W x 18"D – Front Access	Fits 22" and 24"W ¹ frames only	\$625						
ZVFI26FRO	Visco Foam Interface 26"W x 18"D – Front Access	Fits 26" and 28"W ¹ frames only	\$745						
ZSSKASHD	Seat Support Kit for Raz-AP600 – for seats that are 2"	narrower than seat frames	\$195						
1									

Required for seats that are narrower than seat frames

Custom Seats

For custom seats, please specify seat width and depth. Indicate if the access opening is to be in the Front, Left, Right or Rear. Select Bridged if an access opening is not required. See <u>Custom Seat Assessment Form</u> – Resources tab at razdesigninc.com

ZCSEATHD	Heavy Duty Custom Seat (enter specs below) Select if both width and depth are ≤ 28"	\$1,095
ZCSEATXHD	Heavy Duty Custom Seat for widths 28" and 30" (enter specs below) Select if width and/or depth is \geq 28"	\$1,295
Seat Frame Width: Custom Seat Width: Seat Depth: Access:	22" / 24" / 26" / 28" / 30" 22" / 24" / 26" / 28" / 30" / 32" (cannot be more than 2" wider than frame width) 16" / 17" / 18" / 19" / 20" / 21" / 22" / 23" / 24" [≥ 21" requires custom longer frame] FR – Front / LT – Left / RT – Right / RR – Rear / BR – Bridged	

- Aperture Width: __ 6.5" recommended
- Unless otherwise requested, the width of the aperture (inside width dimension of the commode opening) will be 6.5" for custom seats.
- Custom seat widths can be up to 2" wider than the frame width to provide additional thigh support without increasing overall width of the chair.
- For Custom Seats, the Ischial Pelvic Alignment System (IPAS) allows +/- 1" fore / aft adjustment from specified custom seat depth.
- Access for Rear-Open seats is limited due to rear seat support tube.
- Special modifications on Custom Seats include: leg-length discrepancy, soft spots, pressure-relief areas, contouring, pelvic obliquity accomodation, etc.

3. Symphony Back (Recessed solid back that replaces the standard Tension-Adjustable Vinyl Upholstery [recommended for infection-control environments]). All Symphony Back panels are 13"H.

ZSB22	Symphony Back – 22"W	\$465
ZSB24	Symphony Back – 24"W	\$535
ZSB26	Symphony Back – 26"W	\$505
ZSB28	Symphony Back – 28"W	\$575
ZSB30	Symphony Back – 30"W	\$675

4. Rear Wheel, Caster and Anti-Tipper Options

ZRW24	24" Wheels w/ Ergonomic Handrims	Std	ZATSPRR	Rear Anti-Tippers – telescoping	\$115
ZWLE	Wheel Lock with Extensions (pr)	\$75	ZATAS	Front Anti-Tippers (pr)	\$245
ZVH24	Vinyl-Coated Handrims (pr)	\$425	ZCUSP6	6" Caster Upgrade (2x)	\$175
ZPH24	Vertical Projection Handrims (pr)	\$655			
ZCSLSP	User-Actuated Front Directional Caster Locks w/ extension handles (pr)	\$395			

5. Arm Support Accessories

ZARMTL	Long Arm Support Tubes (pr)	Standard
ZARMLL	Long Arm Support Pad 13"L – Left	Standard
ZARMLR	Long Arm Support Pad 13"L – Right	Standard
ZALKHD	Arm Support Locks (pr) for Fixed Back (ZFB1818)	\$95
ZFAPLL	Long Molded Flat Armpad ³ – Left (14"L x 3.25"W – fits ZARM13)	\$90
ZFAPLR	Long Molded Flat Armpad³ – Right (14"L x 3.25"W – fits ZARM13)	\$90
ZTRL	Molded Arm Trough ³ – Left (18.5"L x 4.5"W)	\$110
ZTRR	Molded Arm Trough ³ – Right (18.5"L x 4.5"W)	\$110
ZPAML	Pivoting Arm Mount – Left (for ZFAPLL/ZTRL)	\$165
ZPAMR	Pivoting Arm Mount – Right (for ZFAPLR / ZTRR)	\$165
ZAPSB*	Anterior Posture Support Bar ^{5,6} * Enter frame width to complete code (22" / 24")	\$245
ZAPSB*	Anterior Posture Support Bar ^{5,6} * Enter frame width to complete code (26" / 28" / 30")	\$275

¹ Not compatible with ZFAPL / ZFAPS / ZTR / ZPAM

² For chairs with the same back width and base frame only

³ May require ZPAM / ZASK05 / ZASK10 / for Amr Support to flip up, depending on medial / lateral position of the Flat Arm Pad or Arm Trough

⁴ ZPHGL / ZPHGS combined with 2 Point Arms requires a custom upcharge

 $^{^{\}rm 5}$ Not compatible with ZFAPL / ZFAPS / ZTR

⁶ Special length required with ZASK05 (+1") and ZASK10 (+2")

6. Foot and Leg Supports

	• • •	
ZFSHDL	Foot Support Left – 16"-20.5"	Standard
ZFSHDR	Foot Support Right – 16"-20.5"	Standard
ZFET2L	Footrest Extension Tube¹ Left – 2" longer	\$25
ZFET2R	Footrest Extension Tube ¹ Right – 2" longer	\$25
ZADML	Adj Angle/Depth Molded Footplate ² - Left	\$60
ZADMR	Adj Angle/Depth Molded Footplate ² - Right	\$60
ZFET2AL	Footrest Extension Tube Left for ZADML – 2" longer	\$25
ZFET2AR	Footrest Extension Tube Right for ZADMR – 2" longer	\$25
ZFBT	Flip-Back Foot Support (1-piece) 16.5"-20" with calf pads	\$455
ZELRL	Elevating Leg Support ³ – Left (includes ZADML)	\$495
ZELRR	Elevating Leg Support ³ – Right (includes ZADMR)	\$495
ZRLSL	Universal Residual Limb Support – Left	\$195
ZRLSR	Universal Residual Limb Support – Right	\$195
¹ Not compatible wit	th ZADM / ZVS / ZFBT	

7. Foot and Leg Support Accessories

ZFSLK	Foot Support Lock (pr)	\$95
ZCS*	Calf Strap, Snap-On – Bodypoint Aeromesh * Enter frame width to complete code (22"/ 24")	\$105
ZCS*	Calf Strap, Snap-On – Bodypoint Aeromesh * Enter frame width to complete code (26"/ 28" / 30")	\$245
ZCSIC*	Calf Strap, Snap-On – Infection Control * Enter frame width to complete code (22" / 24" / 26" / 28" / 30")	\$125
ZHS2224	H-Strap – for 22"/ 24"W frames – hook and loop attachment	\$110
ZAHL	Adjustable Heel Loops (pr) (not available for ZVS / ZFBT)	\$60
ZNC	Neoprene Cover for Standard Footplate (pr)	\$90
ZNCA	Neoprene Cover for Angle/Depth Adjustable Footplates	\$90
ZNCFB	Neoprene Cover for Flip-Back Foot Support	\$90
ZLOR	Lateral Offset Foot Support Receiver (ea) – moves foot support 2" laterally or medially. Specify 1 or 2	\$95
ZMOR	Medial Offset Foot Support Receiver (ea) – moves foot support 2" laterally or medially. Specify 1 or 2	\$95
ZFOR	Forward Offset Foot Support Receiver – (ea) Moves foot support forward 2.5" to accomodate deeper seats and reduced knee flexion range. Specify 1 or 2	\$95
¹ Not compatib	ole with ZMFX12 / ZFBT / ZVS	

8. Positioning Pads – Pad Sizes: Small 5.5" x 3.5" / Large – 6.75" x 4.3".

Head Suppo	orts			
ZHSAS1	Head Suppo	ort with sn	nall pad	\$495
ZHSAS2	Head Suppo	ort with la	rge pad	\$545
ZOHIP	Lateral Offs	et Head Si	upport Interface Plate – up to 22° of adjustment	\$75
Lateral Thoroffset, specify			s on Lateral Thoracic Supports can be adjusted medially up to 3" per side. For up to 4	.5" medial
ZLTS2LHD	Lateral Tho	acic Supp	ort w/ Large Pad for HD chairs – Left	\$225
ZLTS2RHD	Lateral Tho	acic Supp	ort w/ Large Pad for HD chairs – Right	\$225
Leg Adducte	ors			
ZLGAS2L	Leg Adducto	or w/ Larg	e Pad – Left	\$225
ZLGAS2R	Leg Adducto	or w/ Larg	e Pad – Right	\$225
			oracic Supports and Hip / Leg Adductors .5" medially and can be used on Lateral Thoracic Support, Hip and Leg Adductors	
ZLAEPL	Lateral/Add	uctor Exte	ension Plate - Left (ea)	\$28
ZLAEPL	Lateral/Add	uctor Exte	ension Plate - Right (ea)	\$28
Lateral Thorac	cic Support	Left	Right	
Leg Adductor		Left	Right	
Hip Adductor		Left	Right	
Total Quantity	′			
Medial Thig	h Supports	(Pomme	l) Large Pad Size – 6.75" x 4.3"	
ZMTSAS2	Medial Thig	h Support	w/ Large Pads	\$595

9. Pelvic and Chest Belts - A CHEST BELT MUST NEVER BE USED WITHOUT A PELVIC BELT!

Pelvic Belts					Chest Belts		
ZPBXLHDAS	Pelvic Belt – XL (seat frame widths \$24"-26", 2-piece w/ side-release buckle)			\$75	ZCBXL	Chest Belt – XL ² (back frame widths 24"-26", 1-piece w/ hook and loop closure)	\$55
ZPBXXLHDAS	Pelvic Belt – XXL (seat frame widths \$28"-30", 2-piece w/ side-release buckle)			\$110	ZCBXXL	Chest Belt – XXL ² (back frame widths 26"-30", 1-piece w/ hook and loop closure)	\$65
ZPBICXLHDAS	Infection Control Pelvic Belt – XL ¹ (seat frame widths 24"-26", 2-piece w/ side-release buckle)			\$125	ZCBICXL	Infection Control Chest Belt – XL ^{1,2} (back frame widths 24"-26", 1-piece w/ side-release buckle)	\$95
ZPBICXXLHDAS	Infection Control Pelvic Belt – XXL ¹ (seat frame widths 26"-30", 2-piece w/ side-release buckle)		\$135	ZCBICXXL	Infection Control Chest Belt – XXL ^{1,2} (back frame widths 26"-30", 1-piece w/ side-release buckle)	\$105	
ZPBBPXLHDAS	Pelvic B – XLarge	elt – Bodypoi	nt Aeromesh	\$235	ZCBBPXL	Chest Belt – Bodypoint Aeromesh – XLarge	\$195
Recommended sizes for Bodypoint belts		Chest belt	ZCBBPXL	22"-3 back t			
		Pelvic belt	ZPBBPXLHDT	22"-3 base	-		
1							

¹ Non-absorbent belts – recommended for infection-control environments.

DOC#: RSD058r03 Rev. Date: 2023-08-25

² Tension-Adjustable Upholstery includes loops to retain a chest belt (ZCB). When the chair is supplied with a Symphony Back, Chest Belt loops are provided.

10. Urine Management

ZIHW	Whizard – winged urine deflector – Has patent-pending lateral wings that are positioned under the medial aspect of the thighs to keep the Whizard in place.	\$67
ZSS	SplaShield – Molded urine deflector (must be held in place during use)	\$125
ZSC23HD	Splash Curtain 1 for 23"W HD Molded and VFI Seats (surrounds entire aperture, raises seat $1/2$ ").	\$345
ZSC26HD	Splash Curtain 1 for 26"W HD Molded and VFI Seats (surrounds entire aperture, raises seat $1/2$ ").	\$375
ZSCCHD	Custom Splash Curtain for Custom Seats – Raises seat 1/2"	\$365
ZSCSI	Slide-In Splash Curtain – Vinyl curtain, slides into commode pan brackets	\$345
ZBUDBH	Bard urine drainage bag holder for 22" / 24" / 26" / 28" / 30"W frames	\$155
¹ Bridged Front	Seats only. For Left, Right, Front, and Rear Open, call for pricing.	

11. Other

ZPSK1	Commode Pan Spacer Kit¹ – 1" lower	\$200	
ZPSK2	Commode Pan Spacer Kit¹ – 2" lower	\$215	
ZPSK3	Commode Pan Spacer Kit¹ – 3" lower	\$230	
ZPSK4	Commode Pan Spacer Kit¹ – 4" lower	\$245	
¹ Commode Pan Spacer Kits provide extra clearance for perianal care with pan in place. Increases height required to clear toilet.			

12. Credits and Omissions

Z905	Omit Commode Pan and	-\$20	Z907HD	Omit HD Foot Supports – if no other	- \$45
Mounting Brackets			Foot / Leg Support Option is selected		

Some assembly of Raz products is required.

13. Notes:

Specifications Raz-SP600 (Self Propel)

Weight Capacity	605 lbs		
Overall Width	Seat frame width plus 7.75" (with Standard Arm Support Pads)		
Overall Length (with foot supports in middle position)	44" (with rear wheel in middle positon)		
Seat Depth	18"-20"		
Clearance Height (under seat) - with pan brackets - without pan brackets	with 5" casters 14.35"-18.35" 15.12-19.12"	with 6" casters 15.35"-19.35" 16.12"-20.12"	
Arm Support Height - above molded seat	10"		
Seat-to-Floor Height (with molded seat)	with 5" casters 20" and 21"	with 6" casters 20", 21", 24"	
Back Height (Molded Seat to top of upholstery)	20"		
Product Weight (with 22"W seat frame)	68 lbs		
Frame and Hardware Material	Stainless Steel (lifetime warranty against corrosion)		